


Smart Commercial Pad

# SUNMI CPad PAY New



Seamless payment and service, in One PAD.

Powered by  
SUNMI OS

Compatible with  
SUNMI DMP

Compatible with  
SUNMI  
SUNMI WPP

EMVCo.

PCI PTS 6.X

**Robust Performance** for Smooth SaaS Operations.


**11" Display, More Information at a Glance**

1920 x 1200 FHD, 450 Nits Brightness  
Industrial-grade TDDI Chip,  
Anti-Fingerprint Nano Coating



**Powerful Performance for Business**

Qualcomm Octa-Core CPU, Up to 2.4GHz  
Up to 8GB RAM + 128 GB ROM




**Built for High Traffic Business Environment**




Restaurant Ordering



Self-Ordering



Retail Checkout



Self-Banking

## Integrated multi-payment solutions, ensuring efficiency and security.




### All-in-One, Payment Module Built in Pad



### Ultra-Thin, Bezel-Less, Lightweight



### Multiple Payment Methods Available




UnionPay Network Access License

PCI PTS 6.X

PCI PTS 6.X Security Standards Compliance



EMV Certification



MasterCard PayPass Approval




Visa PayWave Approval



American Express Certification

### One-stop payment solution built inside for worry-free transactions.




#### SUNMI OS

Designed for payment and PCI & EMV certified security.




#### SUNMI RKI

Inject or update keys with lower operating costs.



#### TMS

Deployed on a private cloud to securely manage your devices.



#### Remote Assistance

Remote troubleshooting for better service experience.



## Multiple versions and accessories to match business needs.

3 different versions and 10 accessories to perfect match multiple scenarios and industries.

### CPad PAY 11" Mobile Version

### Mobile Accessories



Protective Case  
(Wrist Strap Incl.)



Shoulder Strap



Fingerprint Recognition  
Module


### CPad PAY 11" Countertop Ready Version



### Innovative Quick Lock on Device Back


Use its magnetic feature and snap-on design for easy accessory attachment and removal.

### Desktop Base



Desktop Base

Available in horizontal and vertical installation modes.



Printing Base

Integrated scanning and printing functionality.



Multi-Function Base

Multiple ports integrated for functionality expansion.

### Table-Side Stand



Table-Side Fixed Stand

Clamp it to various thicknesses of tabletops.



Table-Side Stand


Easily movable and adjustable.

### Wall-Mount Accessories



Mount Adapter


Compatible with standard 86 socket box for easy installation.




External Barcode Scanner

As a price checker, it features automatic recognition.

### Secondary Display Version




11" Secondary Payment Display for  
T3 PRO/T3 Family/D3 PRO




Combined Use

A professional counter payment solution.



Separated Use

Uninterrupted payments and services.



Secondary Display

Simultaneously enhance payment experience and marketing.

# SUNMI CPad PAY Tech Specs

|                           | CPad PAY 11”<br>Mobile Version                                                                                                                                                             | CPad PAY 11”<br>Countertop Ready Version                                                                                                                                                    | CPad PAY 11”<br>Secondary Display Version                                                                                                                                                  |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Model             | T670A                                                                                                                                                                                      | T670B                                                                                                                                                                                       | T670B                                                                                                                                                                                      |
| Security Model            | T670                                                                                                                                                                                       | T670                                                                                                                                                                                        | T670                                                                                                                                                                                       |
| CPU                       | Octa-core, up to 2.4GHz                                                                                                                                                                    | Octa-core, up to 2.4GHz                                                                                                                                                                     | Octa-core, up to 2.4GHz                                                                                                                                                                    |
| OS                        | SUNMI OS 4.0 (Based on Android 13)                                                                                                                                                         | SUNMI OS 4.0 (Based on Android 13)                                                                                                                                                          | SUNMI OS 4.0 (Based on Android 13)                                                                                                                                                         |
| Memory                    | 4GB RAM + 64GB ROM<br>8GB RAM + 128GB ROM(Optional)<br>Extended Micro SD Card Slot Up to 512GB                                                                                             | 4GB RAM + 64GB ROM<br>Extended Micro SD Card Slot Up to 512GB                                                                                                                               | 4GB RAM + 64GB ROM<br>Extended Micro SD Card Slot Up to 512GB                                                                                                                              |
| Displays                  | 11" WUXGA, 1920*1200 Pixels, IPS<br>Capacitive Multi-touch Screen                                                                                                                          | 11" WUXGA, 1920*1200 Pixels, IPS<br>Capacitive Multi-touch Screen                                                                                                                           | 11" WUXGA, 1920*1200 Pixels, IPS<br>Capacitive Multi-touch Screen                                                                                                                          |
| Buttons                   | 1*Power button (Fingerprint ID)<br>1*Volume button<br>1*Function button                                                                                                                    | 1*Power button (Fingerprint ID)<br>1*Volume button                                                                                                                                          | 1*Power button (Fingerprint ID)<br>1*Volume button                                                                                                                                         |
| Card Slots                | 1*Nano SIM + 1*Micro SD + 1*PSAM<br>2*Nano SIM + 1*PSAM(Optional)                                                                                                                          | 1*Nano SIM + 1*Micro SD + 1*PSAM<br>2*Nano SIM + 1*PSAM(Optional)                                                                                                                           | 1*Micro SD+1*PSAM                                                                                                                                                                          |
| eSIM                      | Supported (Optional)<br>*eSIM will replace 1 SIM in 2 SIM case                                                                                                                             | Supported (Optional)<br>*eSIM will replace 1 SIM in 2 SIM case                                                                                                                              | Not Supported                                                                                                                                                                              |
| Ports                     | 1*Type-C on the left, USB OTG<br>1*Type-C at the bottom, USB host only<br>6*Pogo PIN at the bottom for connecting accessories<br>1*Kensington                                              | 1*Type-C on the left, USB OTG<br>1*Type-C at the bottom, USB host only<br>6*Pogo PIN at the bottom for connecting accessories<br>8*Pogo PIN on the back for connecting base<br>1*Kensington | 2*Type-C (D3 Pro version)<br>3*Type-C (T3/T3 Pro version)<br>8*Pogo PIN on the back for connecting D3/T3/T3 Pro<br>1*Kensington                                                            |
| Cellular                  | 4G/3G/2G                                                                                                                                                                                   | 4G/3G/2G (Optional)                                                                                                                                                                         | Not Supported                                                                                                                                                                              |
| Wi-Fi                     | 5GHz/2.4GHz<br>IEEE 802.11 a/b/g/n/ac                                                                                                                                                      | 5GHz/2.4GHz<br>IEEE 802.11 a/b/g/n/ac                                                                                                                                                       | 5GHz/2.4GHz<br>IEEE 802.11 a/b/g/n/ac                                                                                                                                                      |
| Hyper Wi-Fi               | Supported (Optional)                                                                                                                                                                       | Supported (Optional)                                                                                                                                                                        | Not Supported                                                                                                                                                                              |
| Bluetooth                 | Bluetooth 5.1, Support BLE                                                                                                                                                                 | Bluetooth 5.1, Support BLE                                                                                                                                                                  | Bluetooth 5.1, Support BLE                                                                                                                                                                 |
| Positioning               | GPS/Glonass/Beidou/Galileo                                                                                                                                                                 | GPS/Glonass/Beidou/Galileo                                                                                                                                                                  | GPS/Glonass/Beidou/Galileo                                                                                                                                                                 |
| Cameras                   | 5MP FF Front Camera<br>+13MP AF Rear Camera                                                                                                                                                | 5MP FF Front Camera<br>+13MP AF Rear Camera                                                                                                                                                 | 5MP FF Front Camera                                                                                                                                                                        |
| Scanner                   | Professional 2D Scan Engine (Optional)                                                                                                                                                     | External (Optional)                                                                                                                                                                         | Not Supported                                                                                                                                                                              |
| Magstripe Reader          | Support 1/2/3 track, Bi-direction,<br>comply with ISO 7810/7811 standards                                                                                                                  | Support 1/2/3 track, Bi-direction,<br>comply with ISO 7810/7811 standards                                                                                                                   | Support 1/2/3 track, Bi-direction,<br>comply with ISO 7810/7811 standards                                                                                                                  |
| IC Card Reader            | Dual-Chip Reader<br>Support smart IC card,<br>comply with ISO 7816 standard                                                                                                                | Dual-Chip Reader<br>Support smart IC card,<br>comply with ISO 7816 standard                                                                                                                 | Dual-Chip Reader<br>Support smart IC card,<br>comply with ISO 7816 standard                                                                                                                |
| NFC                       | Tap on screen<br>Support ISO/IEC 14443 TypeA/B, Mifare,<br>Felica, ISO 15693 compliant                                                                                                     | Tap on screen<br>Support ISO/IEC 14443 TypeA/B, Mifare,<br>Felica, ISO 15693 compliant                                                                                                      | Tap on screen<br>Support ISO/IEC 14443 TypeA/B, Mifare,<br>Felica, ISO 15693 compliant                                                                                                     |
| Fingerprint Reader        | External (Optional)                                                                                                                                                                        | External (Optional)                                                                                                                                                                         | Not Supported                                                                                                                                                                              |
| Audio                     | 1*Speaker<br>2*Microphone                                                                                                                                                                  | 1*Speaker<br>2*Microphone                                                                                                                                                                   | 1*Speaker<br>2*Microphone                                                                                                                                                                  |
| Battery                   | Removable Lithium Polymer Battery<br>3.87V/8000mAh                                                                                                                                         | Removable Lithium Polymer Battery<br>3.87V/6000mAh                                                                                                                                          | Removable Lithium Polymer Battery<br>3.87V/6000mAh                                                                                                                                         |
| Sensors                   | Gravity sensor<br>Light sensor<br>Proximity sensor                                                                                                                                         | Gravity sensor<br>Light sensor<br>Proximity sensor                                                                                                                                          | Gravity sensor<br>Light sensor<br>Proximity sensor                                                                                                                                         |
| Power Adapter             | Input: 100V-240V AC<br>Output :9V2A DC                                                                                                                                                     | Input: 100V-240V AC<br>Output: 9V2A DC                                                                                                                                                      | Not Supported                                                                                                                                                                              |
| Dimensions(L*W*H)         | 265.6*173.55*10.95 mm                                                                                                                                                                      | 265.6*177.25*10.95 mm                                                                                                                                                                       | 265.6*177.25*10.95 mm without bracket                                                                                                                                                      |
| Net Weight                | 586g(Including battery)                                                                                                                                                                    | 606g(Including battery)                                                                                                                                                                     | 706.3g (Including battery)(D3 Pro version)<br>700g (Including battery)(T3/T3 Pro version)                                                                                                  |
| Protection                | IPX2                                                                                                                                                                                       | Not Supported                                                                                                                                                                               | Not Supported                                                                                                                                                                              |
| Environment               | Operating temperature: -10°C~50°C<br>Storage temperature: -20°C~70°C<br>Operating Humidity: 5%-95%<br>non-condensing                                                                       | Operating temperature: -10°C~50°C<br>Storage temperature: -20°C~70°C<br>Operating Humidity: 5%-95%<br>non-condensing                                                                        | Operating temperature: -10°C~50°C<br>Storage temperature: -20°C~70°C<br>Operating Humidity: 5%-95%<br>non-condensing                                                                       |
| Accessories<br>(Optional) | Hand Strap<br>Protective Case<br>Shoulder Strap<br>External Fingerprint Module                                                                                                             | Printing Base     Table-Side Fixed Stand<br>Desktop Base     External Barcode Scanner<br>Mount Adapter    External Fingerprint Module<br>Table-Side Stand   Multi-Function Pivoting Base    | Not Supported                                                                                                                                                                              |
| Certifications            | PCI PTS 6.x, EMV L1 & L2, EMV Contactless<br>L1, Visa payWave, MasterCard PayPass, UPI<br>Quickpass, Amex ExpressPay, Discover<br>D-PAS, JCB, TQM, FCC, ISED, CE, CB,<br>RoHS, WEEE, REACH | PCI PTS 6.x, EMV L1 & L2, EMV Contactless<br>L1, Visa payWave, MasterCard PayPass, UPI<br>Quickpass, Amex ExpressPay, Discover<br>D-PAS, JCB, TQM, FCC, ISED, CE, CB,<br>RoHS, WEEE, REACH  | PCI PTS 6.x, EMV L1 & L2, EMV Contactless<br>L1, Visa payWave, MasterCard PayPass, UPI<br>Quickpass, Amex ExpressPay, Discover<br>D-PAS, JCB, TQM, FCC, ISED, CE, CB,<br>RoHS, WEEE, REACH |

\*The appearance of accessories will be based on the final production version.

\*This product description is based on the current information available at the time of launch. Due to product upgrades or other reasons, the content may change. The company reserves the right to modify the product and content without prior notice.